

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	487	(FOLEY near JAMES) (JOHNSON near RICK) (NAMBIAR near ANANT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:10
L2	6	L1 and authentication. clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:10
L3	618	726/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L4	3	L3 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L5	1570	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L6	9	L5 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L7	512	(client user) with (select \$4 choos\$4 choice) with (authenticat\$4 authoriz \$6) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L8	1	L7 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L9	3593	(client user) with (select \$4 choos\$4 choice) near2 (authenticat\$4 authoriz \$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11

L10	324	L9 same (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L11	2	L10 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L12	243	(select\$4 choos\$4 choice) with password with biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L13	1	L12 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L14	82	(client user) with (select \$4 choos\$4 choice) near2 (authentica\$4 authoriz \$6) near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L15	0	L14 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:11
L16	39	(client user) with (select \$4 choos\$4 choice) near2 ((log\$4 sign\$4) adj (in on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L17	0	L16 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L18	997	(client user) with (select \$4 choos\$4 choice) near2 (login logon signin signon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L19	3	L18 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12

L20	87	(client user) with (select \$4 choos\$4 choice) near2 (login logon signin signon) near2 (method type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L21	0	L20 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L22	68	(client user) with pick\$4 near2 (authentica\$4 authoriz\$6 login login)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L23	0	L22 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L24	1278	(register\$4 registration) with (authentica\$4 authoriz\$5 login logon) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L25	150	L24 same (pick\$4 choos \$4 choice select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L26	0	L25 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L27	22	L24 same password same biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L28	0	L27 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:12
L29	60	accept\$4 with (multiple different "more than one" plurality) with (authentica \$4 authoriz\$5 login logon) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13

L30	0	L29 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L31	213	(select\$4 choos\$4 choice pick\$4) with (multiple different "more than one" plurality) with (authenticat \$4 autoriz\$5 login logon) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L32	0	L31 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L33	31	L31 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L34	4366	(select\$4 choos\$4 choice pick\$4) with (multiple different "more than one" plurality) with (authenticat \$4 autoriz\$5 login logon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L35	1013	L34 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L36	982	L35 not L33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L37	26	L36 and password same biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L38	0	L37 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L39	2412	(register\$4 registration) with (multiple different "more than one" plurality) with (authenticat\$4 authoriz\$5 login logon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13

L40	6	L39 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L41	561	defin\$4 near3 (authentica \$4 authoriz\$5 login logon) near (type method procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L42	5	L41 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L43	596	(select\$4 choos\$4 choice pick\$4) with (authentica \$4 authoriz\$5 login logon) near procedure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L44	0	L43 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L45	829	(select\$4 choos\$4 choice pick\$4) with (authentica \$4 authoriz\$5 login logon) near (scheme procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L46	196	L45 same (register\$4 registration sav\$4 stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L47	0	L46 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L48	102	(select\$4 choos\$4 choice pick\$4) with (multiple different "more than one" plurality) with (authentica \$4 authoriz\$5 login logon) near (scheme procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13
L49	0	L48 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:13

L50	305	multiple adj (authentica \$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in))) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:14
L51	0	L50 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:14
L52	210	(user client) near2 (choice choos\$4 pick\$4 select\$4) near3 (authentica\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in))) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:14
L53	1	L52 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:14
L54	75	(user client) near2 (choice choos\$4 pick\$4 select\$4) near3 (authentica\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in))) near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:14
L55	0	L54 and @ad< "20010103" and @pd> "20080219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:14

9/2/08 1:18:18 PM

C:\Documents and Settings\mpyzocha1\My Documents\EAST\Workspaces\10035064-3.wsp